WOMAN'S OWN free knitting booklet January 29th, 1966

MATCHMAKERS

8 winter – warm designs for you and all the family

Instructions for these cardigans start on page 14

Matchmake – a child's coat and dress in cable stitch

Specially for the 2-8-year-olds, a snug polo-necked dress in panels of cable and stocking stitch, with a swirling skirt. The pattern can be used to make a neat outdoor coat, too

MATERIALS.—For dress or coat, 13 (14 : 16 : 17) ozs. Wendy Double Knitting Nylonised or Easycare Double Knitting; a pair each No. 8 and No. 10 Aero knitting needles; 5 (5 : 6 : 7) buttons for coat.

Measurements.—To fit 22 (24 : 26 : 28) inch chest; length, 17 (19 : 22 : 24) inches; sleeve seam, 9 (10½ : 11½ : 13) inches.

Tension.—6 sts. to 1 inch in st.-st.

THE COAT

THE BACK.—With No. 8 needles, cast on 146 (162 : 178 : 202) sts. **1st row.**—P. 2, k. 6, p. 2, * k. 7 (9 : 11 : 14), p. 2, k. 6, p. 2 *; rep. from * to * 7 times more. **2nd row.**—K. 2, p. 6, k. 2, * p. 7 (9 : 11 : 14), k. 2, p. 6, k. 2 *; rep. from * to * 7 times. **3rd and 4th rows.**—As 1st and 2nd. **5th row.**—P. 2, c. 6 f., p. 2, * k. 7 (9 : 11 : 14), p. 2, c. 6 f., p. 2 *; rep. from * to * 7 times more. **6th row.**—As 2nd. **7th and 8th rows.**—As 1st and 2nd. These 8 rows form patt. Rep. them once more (adjust length here if required), then start shaping thus:

17th row.—P. 2, k. 6, p. 2, * k. 2 tog. t.b.l., k. 5 (7 : 9 : 12), p. 2, k. 6, p. 2 *; rep. from * to * 7 times more. Cont. in patt. as set, with 1 st. less in st.-st. panels, for 11 rows. **29th row.**—P. 2, k. 6, p. 2, * k. 4 (6 : 8 : 11), k. 2 tog., p. 2, k. 6, p. 2 *; rep. from * to * 7 times more. Work 11 rows in patt. as set. Cont. shaping thus, dec. 1 st. on alt. sides of st.-st. panels on every 12th row, first at beg. of panel as 17th row, then at end as 29th row, until patt. reads: P. 2, k. 6, p. 2, * k. 2 (3 : 4 : 5), p. 2, k. 6, p. 2 *; rep. from * to * 7 times more. 106 (114 : 122 : 130) sts. Cont. straight until work measures 11½ (13½ : 16 : 17½) ins. from beg., ending after wrong-side row.

Shape Armholes.—Cast off 12 (13 : 14 : 15) sts. at beg. of next 2 rows. Cont. straight until work measures 17 (19 : 22 : 24) ins. from beg.

Shape Shoulders.—Cast off 7 (8 : 8 : 9) sts. at beg. of next 4 rows; 8 (8 : 10 : 10) sts. at beg. of next 2 rows. Cast off rem. 38 (40 : 42 : 44) sts.

THE LEFT FRONT.—With No. 8 needles, cast on 83 (91 : 99 : 111) sts. **1st row.**—P. 2, k. 6, p. 2, rep. from * to * as 1st row of back 3 times, k. 7 (9 : 11 : 14), p. 2, k. 6, sl. 1, k. 6. **2nd row.**—P. 13, k. 2, rep. from * to * as 2nd row of back 4 times. Cont. thus in patt. as set, dec. in st.-st. panels as back on 17th and every foll. 12th row to 53 (67 : 71 : 75) sts. Cont. straight until work matches back to armhole, ending side edge.

Shape Armhole.—Cast off 12 (13 : 14 : 15) sts. at beg. of next row. Cont. straight until work measures 11 rows less than back to shoulder, ending front edge.

Shape Neck. Next row.—Cast off 9, patt. 14 (15 : 16 : 17), leave these 15 (16 : 17 : 18) sts. on holder, patt. to end. Dec. 1 st. at neck edge on next and alt. rows to 22 (24 : 26 : 28) sts.; work 1 row, thus ending armhole edge.

Shape Shoulder.—Cast off 7 (8 : 8 : 9) sts. at beg. of next row and foll. alt. row; 8 (8 : 10 : 10) sts. at beg. of foll. alt. row.

THE RIGHT FRONT.—First mark left front with pins, to indicate buttons; the 1st pin on the 47th row from beg., the last 2 rows below cast-off at neck, and 3 (3 : 4 : 5) more equally spaced between.

With No. 8 needles, cast on 83 (91 : 99 : 111) sts. **1st row.**—K. 6, sl. 1, k. 6, p. 2, rep. from * to * as 1st row of back 4 times. **2nd row.**—K. 2, p. 6, k. 2, rep. from * to * of 2nd row of back 3 times, p. 7 (9 : 11 : 14), k. 2, p. 13. Cont. in patt. as set, working to match left front, with shapings at opposite edges and making double buttonholes at marked points thus: **1st row** (working from front edge).—K. 2, cast off 2, k. 1, sl. 1, k. 2, cast off 2, patt. to end. On next row, cast on sts. over those cast off.

THE SLEEVES.—With No. 10 needles, cast on 54 (58 : 62 : 66) sts. Work 1½ (2 : 2 : 2) ins. k. 1, p. 1 rib. Change to No. 8 needles and work 8 rows in patt. as back, but with 1 (2 : 3 : 4) sts. in st.-st. panel. 1st row will read: P. 2, k. 6, p. 2, * k. 1 (2 : 3 : 4), p. 2, k. 6, p. 2; rep. from * to end.

9th row.—P. 2, k. 6, p. 2, * k. twice in next st., k. 0 (1 : 2 : 3), p. 2, k. 6, p. 2; rep. from * to end.** Cont. in patt. with 2 (3 : 4 : 5) sts. in st.-st. panels, inc. 1 st. at both ends of every foll. 3rd row to 74 (78 : 82 : 86) sts.; then every foll. 4th row to 82 (88 : 94 : 100) sts., working inc. sts. into patt. Cont. straight until sleeve measures 10½ (12 : 13½ : 15) ins. from beg.

Shape Top.—Cast off 14 (15 : 16 : 17) sts. at beg. of next 4 rows. Cast off.

THE COLLAR.—Join shoulder seams. With No. 10 needles and right side facing, pick up and k. sts. from holder, 12 sts. along neck slope, 38 (40 : 42 : 44) sts. along back neck, 11 sts. down neck slope, sts. from holder. Work 1½ ins. k. 1, p. 1 rib. Change to No. 8 needles and work a further 2½ ins. Cast off loosely in rib.

THE DRESS

THE BACK.—Work as coat, but work a further ½ in. before shaping armholes, and leave back neck sts. on holder.

THE FRONT.—Work as back until front measures 10 rows less than back to shoulder.

Shape Neck. Next row.—Patt. 27 (29 : 31 :

ABBREVIATIONS FOR ALL PATTERNS ARE ON PAGE 14

33), turn; leave rem. sts. Work 9 rows on first set of sts., dec. 1 st. at neck edge on next and alt. rows.

Shape Shoulder.—As coat front. Return to rem. sts., sl. 28 (30 : 32 : 34) sts. at inner edge on holder, rejoin wool and complete to match first side.

THE SLEEVES.—With No. 10 needles, cast on 43 (46 : 49 : 52) sts. and work as coat sleeve to **. Cont. as coat sleeve, but inc. every 3rd row to 62 (65 : 68 : 71) sts. and every 4th row to 70 (75 : 80 : 85) sts.

THE COLLAR.—Join right shoulder seam. With No. 10 needles and right side facing, pick up and k. 90 (94 : 98 : 102) sts. round neck, including sts. from holders. Work 1½ ins. k. 1, p. 1 rib, then a further 2½ ins. on No. 8 needles. Cast off loosely in rib.

TO MAKE UP.—Press. Join left shoulder seam and collar seam of dress. Sew in sleeves, the last 1½ (1½ : 1¾ : 2) ins. to cast-off at underarm. Join side and sleeve seams. Fold back front facings of coat and slip-stitch. Neaten buttonholes. Sew on buttons.

Matchmake – with a husky sweater for all the family

Favourite stand-by for week-end warmth is a comfortable casual sweater made in tough double-knitting wool. Ours is worked in double moss stitch and big, bold cables, with a choice of a V-neck or a high, round one

MATERIALS.—15 (19 : 24 : 29) ozs. Emu Scotch Double Knitting; a pair each No. 9 and No. 11 Aero knitting needles; set of 4 double-pointed No. 11 needles.

Measurements.—To fit bust or chest sizes 27 (30 : 36 : 39) inches; length, 17 (19½ : 23 : 26) inches; sleeve seam, 14½ (17 : 18 : 19) inches.

Tension.—6½ sts. and 8½ rows to 1 square inch in double moss stitch.

THE BACK.—With No. 11 needles, cast on 108 (120 : 144 : 156) sts. Work 1½ (2 : 2 : 3) ins. twisted k. 1, p. 1 rib (i.e. working all k. sts. t.b.l.). Change to No. 9 needles and patt. **1st row.**—(K. 1, p. 1) 7 (9 : 10 : 12) times, k. 1, * p. 2, k. 12 (12 : 16 : 16), p. 2, k. 1, (p. 1, k. 1) 7 (8 : 10 : 11) times; rep. from * once, p. 2, k. 12 (12 : 16 : 16), p. 2, k. 1, (p. 1, k. 1) to end. **2nd row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, p. 1, * k. 2, p. 12 (12 : 16 : 16), k. 2, p. 1, (k. 1, p. 1) 7 (8 : 10 : 11) times; rep. from * once, k. 2, p. 12 (12 : 16 : 16), k. 2, p. 1, (k. 1, p. 1) to end. **3rd row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, k. 1, * p. 2, k. 12 (12 : 16 : 16), p. 2, k. 2, (p. 1, k. 1) 6 (7 : 9 : 10) times, k. 1; rep. from * once, p. 2, k. 12 (12 : 16 : 16), p. 2, k. 1, (k. 1, p. 1) to end. **4th row.**—(K. 1, p. 1) 7 (9 : 10 : 12) times, p. 1, * k. 2, p. 12 (12 : 16 : 16), k. 2, p. 2, (k. 1, p. 1) 6 (7 : 9 : 10) times, p. 1; rep. from * once, k. 2, p. 12 (12 : 16 : 16), k. 2, p. 1, (p. 1, k. 1) to end. **5th and 6th rows.**—As 1st and 2nd rows. **7th row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, k. 1, * p. 2, c. 6 (6 : 8 : 8) b., c. 6 (6 : 8 : 8) f., p. 2, k. 2, (p. 1, k. 1) 6 (7 : 9 : 10) times, k. 1; rep. from * once, p. 2, c. 6 (6 : 8 : 8) b., c. 6 (6 : 8 : 8) f., p. 2, k. 1, (k. 1, p. 1) to end. **8th row.**—As 4th.

These 8 rows form patt. Cont. in patt. until back measures 11 (12½ : 15 : 16½) ins., ending after wrong-side row.**

Shape Armholes.—Cast off 4 (5 : 6 : 6) sts. at beg. of next 2 rows; dec. 1 st. both ends of every row to 92 (100 : 120 : 132) sts. Cont. straight until armholes measure 6 (7 : 8 : 9½) ins.

Shape Shoulders.—Cast off 9 (10 : 12 : 13) sts. at beg. of next 6 rows. Cast off.

THE FRONT.—As back to **.

The Round-necked Version.—Shape armholes as back, then cont. straight until armholes measure 4½ (5¼ : 5¾ : 6¾) ins., ending after wrong-side row.

Shape Neck. Next row.—Patt. 37 (40 : 50 : 55), cast off 18 (20 : 20 : 22), patt. to end. Cont. on last set of sts., dec. 1 st. at neck edge on every row to 27 (30 : 36 : 39) sts. Cont. straight until front matches back to shoulder, ending armhole edge.

Shape Shoulder.—Cast off 9 (10 : 12 : 13) sts. at beg. of next row and foll. 2 alt. rows. Return to rem. sts., rejoin wool at neck edge and work to match first side.

The V-necked Version. Shape Armholes and Neck.—Cast off 4 (5 : 6 : 6) sts. at beg. of next 2 rows. **Next row.**—K. 2 tog., patt. 46 (51 : 62 : 68), k. 2 tog., turn; leave rem. sts. on spare needle. Now cont. to dec. at armhole edge on right-side rows 3 (4 : 5 : 5) times more, *at the same time* dec. 1 st. at neck edge on alt. rows 7 (7 : 9 : 9) times more; then at same edge on every 3rd row to 27 (30 : 36 : 39) sts. Cont. straight until work matches back to shoulder, ending armhole edge.

Shape Shoulder.—As round-necked version. Rejoin wool at neck edge to rem. sts. and work this side to match first.

THE SLEEVES.—With No. 11 needles, cast on 46 (54 : 62 : 70) sts. Work 1½ (2 : 2½ : 3) ins. twisted rib as back welt. Change to No. 9 needles and patt. **1st row.**—(K. 1, p. 1) 7 (9 : 10 : 12) times, k. 1, p. 2, k. 12 (12 : 16 : 16), p. 2, k. 1, (p. 1, k. 1) to end. **2nd row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, p. 1, k. 2, p. 12 (12 : 16 : 16), k. 2, p. 1, (k. 1, p. 1) to end. **3rd row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, k. 1, p. 2, k. 12 (12 : 16 : 16), p. 2, k. 1, (k. 1, p. 1) to end. **4th row.**—(K. 1, p. 1) 7 (9 : 10 : 12) times, p. 1, k. 2, p. 12 (12 : 16 : 16), k. 2, p. 1, (p. 1, k. 1) to end. **5th and 6th rows.**—As 1st and 2nd. **7th row.**—(P. 1, k. 1) 7 (9 : 10 : 12) times, k. 1, p. 2, c. 6 (6 : 8 : 8) b., c. 6 (6 : 8 : 8) f., p. 2, k. 1, (k. 1, p. 1) to end. **8th row.**—As 4th.

Cont. thus in patt., inc. 1 st. both ends of next and every foll. 4th row to 52 (60 : 74 : 88) sts.; then both ends of every foll. 6th row to 70 (82 : 94 : 106) sts., working inc. sts. into the double m.-st. Cont. straight until sleeve measures 14½ (17 : 18 : 19) ins., ending after wrong-side row.

Shape Top.—Cast off 4 (5 : 6 : 6) sts. at beg. of next 2 rows; dec. 1 st. both ends of right-side rows to 50 (58 : 70 : 82) sts.; then both ends of every row to 26 (30 : 34 : 38) sts. Cast off.

THE NECKBAND. Round-necked version.—Join right shoulder seam. With right side facing, using No. 11 needles, pick up and k. 94 (102 : 112 : 120) sts. evenly round neck. Work in twisted rib for 1¾ (2 : 2½ : 2¾) ins. Cast off loosely in rib.

V-necked Version.—Join right shoulder seam. With right side facing, using No. 11 needles, pick up and k. 50 (56 : 64 : 70) sts. down



left neck, 1 st. at centre front (mark with coloured thread), 50 (56 : 64 : 70) sts. up right neck, 38 (40 : 46 : 50) sts. across back neck. **Next row.**—(P. 1, k. 1 t.b.l.) to marked st., p. 1, (k. 1 t.b.l., p. 1) to end. Work 8 (8 : 10 : 10) rows twisted rib, dec. 1 st. both sides of marked st. on every row, working marked st. k. on right side, p. on wrong. Work another 8 (8 : 10 : 10) rows, inc. 1 st. both sides of marked st. Cast off loosely in rib.

TO MAKE UP.—Press. Join left shoulder and neckband seam. Sew in sleeves. Join side and sleeve seams. Turn neckband in half to wrong side and slip-stitch. Press seams lightly on wrong side.

Matchmake – in tough cable stitch for son or daughter

These sturdy sweaters are knitted in panels of ladder stitch and fancy cable. Designed in seven sizes, the first four have a neat round neck and the last three a V-neck

MATERIALS.—14 (15 : 16 : 17 : 21 : 22 : 24) ozs. Lister Lavenda Double Knitting; a pair each No. 8 and No. 10 Aero knitting needles.

Measurements.—To fit 28 (30 : 32 : 34 : 38 : 40 : 42) inch chest or bust; length, 19 (20 : 21 : 22 : 24 : 25 : 25) inches; sleeve seam, 14 (15 : 16 : 17 : 18 : 18 : 19) inches.

Tension.—6 sts. to 1 inch.

THE PATTERN for sizes 28 (30 : 32 : 34) inch. 1st row.—P. 5 (8 : 4 : 7), * k. 4, p. 3, k. 6, p. 3; rep. from * 4 (4 : 5 : 5) times more, k. 4, p. 5 (8 : 4 : 7). **2nd row.**—K. 5 (8 : 4 : 7), * w.f., sl. 1 p.w., w.b., k. 2, w.f., sl. 1 p.w., w.b., k. 3, p. 6, k. 3; rep. from * 4 (4 : 5 : 5) times more, w.f., sl. 1 p.w., w.b., k. 2, w.f., sl. 1 p.w., w.b., k. 5 (8 : 4 : 7). **3rd and 4th rows.**—As 1st and 2nd rows. **5th row.**—P. 5 (8 : 4 : 7), * k. 4, p. 3, sl. next 2 sts. on to spare needle, leave at back, k. 2, then k. 2 from spare needle, k. 2, p. 3; rep. from * 4 (4 : 5 : 5) times more, k. 4, p. 5 (8 : 4 : 7). **6th row.**—As 2nd row. **7th and 8th rows.**—As 1st and 2nd rows. **9th row.**—P. 5 (8 : 4 : 7), * k. 4, p. 3, k. 2, sl. next 2 sts. on to spare needle, leave at front, k. 2, then k. 2 from spare needle, p. 3; rep. from * 4 (4 : 5 : 5) times more, k. 4, p. 5 (8 : 4 : 7). **10th row.**—As 2nd row. These 10 rows form the patt.

THE PATTERN for sizes 38 (40 : 42) inch. 1st row.—P. 2 (5 : 8), * k. 6, p. 3, k. 4, p. 3; rep. from * 6 times more, k. 6, p. 2 (5 : 8). **2nd row.**—K. 2 (5 : 8), * p. 6, k. 3, w.f., sl. 1 p.w., w.b., k. 2, w.f., sl. 1 p.w., w.b., k. 3; rep. from * 6 times more, p. 6, k. 2 (5 : 8). **3rd and 4th rows.**—As 1st and 2nd rows. **5th row.**—P. 2 (5 : 8), * sl. next 2 sts. on to spare needle, leave at back, k. 2, then k. 2 from spare needle, k. 2, p. 3, k. 4, p. 3; rep. from * 6 times more, sl. next 2 sts. on to spare needle, leave at back, k. 2, then k. 2 from spare needle, k. 2, p. 2 (5 : 8). **6th row.**—As 2nd row. **7th and 8th rows.**—As 1st and 2nd rows. **9th row.**—P. 2 (5 : 8), * k. 2, sl. next 2 sts. on to spare needle, leave at front, k. 2, then k. 2 from spare needle, p. 3, k. 4, p. 3; rep. from * 6 times more, k. 2, sl. next 2 sts. on to spare needle, leave at front, k. 2, then k. 2 from spare needle, p. 2 (5 : 8). **10th row.**—As 2nd row. These 10 rows form the patt.

THE BACK.—With No. 10 needles, cast on 94 (100 : 108 : 114 : 122 : 128 : 134) sts. Work in k. 1, p. 1 rib for 1½ (1½ : 2 : 2 : 2 : 2 : 2) ins. Change to No. 8 needles and work the 10-row patt. until back measures 12 (12½ : 13 : 14 : 15 : 15½ : 15½) ins., ending after wrong-side row.**

Shape Armholes.—Cast off 4 (4 : 4 : 4 : 5 : 5 : 5) sts. at beg. of next 2 rows; dec. 1 st. at both ends of next and alt. rows to 80 (82 : 88 : 92 : 102 : 104 : 110) sts. Cont. straight in patt. until armholes measure 6½ (7 : 7½ : 8 : 9 : 9½ : 9½) ins., ending after wrong-side row.

Shape Shoulders.—Cast off 8 (8 : 9 : 10 : 8 : 8 : 9) sts. at beg. of next 4 (4 : 4 : 4 : 6 : 6 : 6) rows; 10 (10 : 10 : 10 : 10 : 10 : 9) sts. at beg. of foll. 2 rows. Leave rem. sts. on spare needle.

THE FRONT.—Work as back to **.

For sizes 28 (30 : 32 : 34) inch chest.

Shape Armholes.—Cast off 4 sts. at beg. of next 2 rows; dec. 1 st. at both ends of next and alt. rows to 80 (82 : 88 : 92) sts. Cont. straight until armholes measure 4 (4½ : 5 : 5½) ins., ending after wrong-side row.

Shape Neck and Shoulders. Next row.—Patt. 35 (35 : 37 : 39), work next 10 (12 : 14 : 16) sts. on to spare needle and leave, patt. to end. Working on last set of sts., dec. 1 st. at neck edge on next and alt. rows to 26 (26 : 28 : 30) sts.; *at the same time*, when armhole measures as back to shoulder, cast off at armhole edge on alt. rows, 8 (8 : 9 : 10) sts. twice, then 10 sts. once. Join wool to neck edge of other side and complete to match.

For sizes 38 (40 : 42) inch chest.

Shape Armholes and Neck.—Cast off 5 sts., patt. until 56 (59 : 62) sts. on right-hand needle, turn; leave rem. sts. on spare needle. Working on first set of sts., dec. 1 st. at armhole edge on alt. rows 5 (7 : 7) times, *at the same time* dec. 1 st. at neck edge on next and every foll. 3rd row 8 times, then every foll. 4th row to 34 (34 : 36) sts. Cont. straight until armhole measures as back to shoulder, ending armhole edge.

Shape Shoulder.—Cast off 8 (8 : 9) sts. at beg. of next and foll. 2 alt. rows. Work 1 row. Cast off rem. sts. Join wool to neck edge of sts. on spare needle, patt. to end. **Next row.**—Cast off 5 sts., patt. to last 2 sts., work 2 tog. Now complete to match other side.

THE SLEEVES.—With No. 10 needles, cast on 52 (52 : 54 : 56 : 60 : 64 : 66) sts. Work in k. 1, p. 1 rib for 2 (2½ : 3 : 3 : 3 : 3 : 3) ins., inc. 1 st. at both ends of last row on first 4 sizes. 54 (54 : 56 : 58 : 60 : 64 : 66) sts.

Change to No. 8 needles and patt. **1st row.**—P. 1 (1 : 2 : 3 : 4 : 6 : 7), * k. 4, p. 3, k. 6, p. 3; rep. from * twice more, k. 4, p. 1 (1 : 2 : 3 : 4 : 6 : 7). **2nd row.**—K. 1 (1 : 2 : 3 : 4 : 6 : 7), * w.f., sl. 1 p.w., w.b., k. 2, w.f., sl. 1 p.w., w.b., k. 3, p. 6, k. 3; rep. from * twice more, w.f., sl. 1 p.w., w.b., k. 2, w.f., sl. 1 p.w., w.b., k. 1 (1 : 2 : 3 : 4 : 6 : 7). Cont. in cable patt. as set, inc. 1 st. at both ends of next and every foll. 8th row to 76 (78 : 80 : 82 : 88 : 92 : 96) sts., working inc. sts. into patt. Cont. straight until sleeve measures 14 (15 : 16 : 17 : 18 : 18 : 19)

ins., ending after wrong-side row.

Shape Top.—Cast off 4 (4 : 4 : 4 : 5 : 5 : 5) sts. at beg. of next 2 rows; dec. 1 st. at both ends of next and alt. rows to 38 (38 : 40 : 42 : 42 : 46 : 50) sts. Cast off 4 sts. at beg. of next 2 rows. Cast off rem. sts.

TO MAKE UP.—Press. Join right shoulder seam. For sizes 28 (30 : 32 : 34) ins., with No. 10 needles and right side facing, pick up and k. 88 (96 : 100 : 104) sts. evenly round neck, including sts. on spare needles. Work in k. 1, p. 1 rib for 1 in. Cast off loosely in rib.

For sizes 38 (40 : 42) ins., with No. 10 needles and right side facing, beg. left shoulder, pick up and k. 68 (70 : 72) sts. down left neck edge, mark centre with coloured wool, pick up and k. 68 (70 : 72) sts. along right neck edge, k. across sts. at back neck. Work in rows of k. 1, p. 1 rib for 1½ ins., dec. 1 st. each side of coloured wool at centre of every row. Cast off in rib. Join shoulder seam and neckband. Join side and sleeve seams. Set in sleeves. Press seams.

Matchmake – zip fronted lumberjackets in tree pattern

Tough jackets for the school-age set will stand up to a lot of playtime rough-and-tumbles. They're in stocking stitch, with panels of simple pattern on back and front

MATERIALS.—10 (12 : 13 : 15 : 17) ozs. Wendy Double Knitting Nylonised; a pair each No. 9 and No. 11 Aero knitting needles; 10 (12 : 12 : 14 : 14)-inch open-ended zip fastener.

Measurements.—To fit 24 (26 : 28 : 30 : 32) inch chest (actual size approx. 3 inches larger); length, 14 (15½ : 17 : 19 : 21) inches; sleeve seam, 11 (12 : 13½ : 15 : 16½) inches, with cuff turned back.

Tension.—6 sts. to 1 inch in st.-st.

THE PATTERN PANEL (referred to as patt. 23). **1st row.**—P. 1, tw.k., p. 1, k. 7, p. 1, k. 1, p. 1, k. 7, p. 1, tw.k., p. 1 (note that on 1st rep. only, there will be only a single loop in which to work tw.k.; on every subsequent rep. there will be double loop). **2nd row.**—K. 1, tw.p., k. 1, p. 6, k. 2, p. 1, k. 2, p. 6, k. 1, tw.p., k. 1. **3rd row.**—P. 1, tw.k., p. 1, k. 5, p. 2, k. 3, p. 2, k. 5, p. 1, tw.k., p. 1. **4th row.**—K. 1, tw.p., k. 1, p. 4, k. 2, (p. 1, k. 1) 3 times, k. 1, p. 4, k. 1, tw.p., k. 1. **5th row.**—P. 1, tw.k., p. 1, k. 3, (p. 2, k. 1) 4 times, k. 2, p. 1, tw.k., p. 1. **6th row.**—K. 1, tw.p., k. 1, p. 2, k. 2, p. 1, k. 2, p. 3, k. 2, p. 1, k. 2, p. 2, k. 1, tw.p., k. 1. **7th row.**—P. 1, tw.k., p. 1, (k. 1, p. 2) twice, (k. 1, p. 1) twice, (k. 1, p. 2) twice, k. 1, p. 1, tw.k., p. 1. **8th row.**—K. 1, tw.p., k. 1, p. 3, (k. 2, p. 1) 4 times, p. 2, k. 1, tw.p., k. 1. **9th row.**—P. 1, tw.k., p. 1, k. 2, p. 2, k. 1, p. 2, k. 3, p. 2, k. 1, p. 2, k. 2, p. 1, tw.k., p. 1. **10th row.**—As 4th. **11th row.**—As 5th. **12th row.**—K. 1, tw.p., k. 1, p. 5, k. 2, p. 3, k. 2, p. 5, k. 1, tw.p., k. 1. **13th row.**—P. 1, tw.k., p. 1, k. 4, p. 2, (k. 1, p. 1) 3 times, p. 1, k. 4, p. 1, tw.k., p. 1. **14th row.**—As 2nd. **15th row.**—As 3rd. **16th row.**—K. 1, tw.p., k. 1, p. 7, k. 1, p. 1, k. 1, p. 7, k. 1, tw.p., k. 1. **17th row.**—P. 1, tw.k., p. 1, k. 6, p. 2, k. 1, p. 2, k. 6, p. 1, tw.k., p. 1. **18th row.**—K. 1, tw.p., k. 1, p. 17, k. 1, tw.p., k. 1. **19th row.**—As 1st. **20th row.**—As 18th.

THE BACK.—With No. 11 needles, cast on 89 (95 : 101 : 107 : 113) sts. Work 1 (1¼ : 1¼ : 1½ : 1½) ins. k. 1, p. 1 rib, beg. and ending last row with k. 1. Change to No. 9 needles and cont. in st.-st. and panel patt. thus: **1st row.**—K. 10 (12 : 14 : 16 : 18), patt. 23 (1st row), k. 23 (25 : 27 : 29 : 31), patt. 23 (1st row), k. to end. **2nd row.**—P. 10 (12 : 14 : 16 : 18), patt. 23 (2nd row), p. 23 (25 : 27 : 29 : 31), patt. 23 (2nd row), p. to end.

Cont. thus, keeping continuity of patt. 23, until work measures 9 (10 : 11 : 12½ : 14) ins. from beg., ending after wrong-side row.

Shape Armholes.—Keeping patt. correct, cast off 6 sts. at beg. of next 2 rows; dec. 1 st. both ends of next and alt. rows to 69 (73 : 77 : 81 : 85) sts. Cont. straight until armholes measure 5 (5½ : 6 : 6½ : 7) ins.

Shape Shoulders.—Cast off 6 (6 : 6 : 7 : 7) sts. at beg. of next 6 rows; 5 (6 : 7 : 5 : 6) sts. at beg. of foll. 2 rows. Leave rem. 23 (25 : 27 : 29 : 31) sts. on holder.

THE LEFT FRONT.—With No. 11 needles, cast on 48 (50 : 54 : 56 : 60) sts. **1st row.**—(P. 1, k. 1) last 2 sts., k. 2. **2nd row.**—K. 2, (p. 1, k. 1) to end. Rep. these rows for 1 (1¼ : 1¼ : 1½ : 1½) ins., ending 2nd row. Change to No. 9 needles and patt. **1st row.**—K. 10 (12 : 14 : 16 : 18), patt. 23 (1st row), on 2nd and 4th sizes only work twice in next st., work to end. **2nd row.**—K. 2, p. 13 (14 : 15 : 16 : 17), patt. 23 (2nd row), p. to end. Cont. in patt. as set on these 48 (51 : 54 : 57 : 60) sts., keeping 2 sts. at front edge in g.-st., until work matches back to armhole, ending side edge.

Shape Armhole and Front.—Cast off 6 sts. at beg. of next row, then 2 sts. at beg. (neck edge) of foll. row. Dec. 1 st. at armhole on next row and foll. 3 (4 : 5 : 6 : 7) alt. rows, *at the same time* dec. 1 st. at neck edge on next and every foll. 3rd row to 23 (24 : 25 : 26 : 27) sts., *at the same time* when armhole matches back to shoulder, ending armhole edge cont. thus:

Shape Shoulder.—Cast off 6 (6 : 6 : 7 : 7) sts. at beg. of next row and foll. 2 alt. rows. Work 1 row; cast off rem. sts.

THE RIGHT FRONT.—Work to match left front to end of welt. 1st rib row will be: K. 2, (k. 1, p. 1) to end. Change to No. 9 needles and patt. **1st row.**—K. 15 (14 : 17 : 16 : 19), on 2nd and 4th sizes only, inc. in next st., then on all sizes patt. 23 (1st row), k. to end. **2nd row.**—P. 10 (12 : 14 : 16 : 18), patt. 23 (2nd row), p. 13 (14 : 15 : 16 : 17), k. 2. Complete to match left front, reversing shapings.

THE SLEEVES.—With No. 11 needles, cast on 37 (39 : 41 : 43 : 45) sts. Work 2½ ins. k. 1, p. 1 rib as back welt. Change to No. 9 needles and st.-st., inc. 1 st. both ends of 7th and every foll. 8th row to 55 (59 : 63 : 67 : 71) sts. Cont. straight until sleeve measures 12½ (13½ : 15 : 16½ : 18) ins., ending after p. row. Mark this point; work 8 rows straight.

Shape Top.—Dec. 1 st. both ends of next and alt. rows to 47 (49 : 51 : 53 : 55) sts. Cast off 4 sts. at beg. of next 10 rows. Cast off.

THE COLLAR.—Join shoulder seams. With No. 11 needles and wrong side facing, pick up and k. 40 (44 : 48 : 52 : 56) sts. along left front neck, work across back neck sts. thus: p. 1 (2 : 3 : 4 : 5), (inc. 1 p., p. 3) 7 times, inc. 1 p., p. 1 (2 : 3 : 4 : 5), pick up and k. 40 (44 : 48 : 52 : 56) sts. along right front neck. 111 (121 : 131 : 141 : 151) sts. Cont. in k. 1, p. 1 rib, shaping thus: **1st row.**—Rib 71 (77 : 83 : 89 : 95), turn. **2nd row.**—Sl. 1.

rib 30 (32 : 34 : 36 : 38), turn. **3rd row.**—Sl. 1, rib 34 (36 : 38 : 40 : 42), turn. **4th row.**—Sl. 1, rib 38 (40 : 42 : 44 : 46), turn. Cont. thus, taking 4 more sts. in on every row until all sts. are worked. Rib 3 (3 : 3 : 4 : 4) rows straight. Cast off very loosely in rib, using a larger needle.

TO MAKE UP.—Press. Sew in sleeves, the last 8 rows of sleeve seam placed to cast-off sts. at underarm. Join side and sleeve seams. Sew down ends of collar. Sew in zip.

Matchmake – a shirt sweater and cardigan for little ones

Fair Isle pattern on collar and cuffs adds a bright touch to a classic-style cardigan and a warm sweater designed for 2-6 year-olds

MATERIALS.—7 (8 : 10) ozs. Marriner Tango Double Knitting in main colour (M.), 1 oz. each in white (W.) and dark (D.); a pair each No. 9 and No. 11 Aero knitting needles; 2 buttons for jumper; 5 (5 : 6) buttons for cardigan.

Measurements.—To fit 22 (24 : 26) inch chest; length, 13 (14½ : 16) inches; sleeve seam, 10 (11 : 12) inches.

Tension.—6 sts. to 1 inch.

THE JUMPER

THE BACK.—With No. 11 needles and M., cast on 64 (69 : 74) sts. Work 7 rows g.-st. **Next row.**—K., inc. 8 (9 : 10) sts. evenly along row. 72 (78 : 84) sts. Change to No. 9 needles and cont. in st.-st., beg. k. row, until work measures 8½ (9 : 9½) ins., ending after p. row.

Shape Armholes.—Cast off 6 sts. at beg. of next 2 rows. ** **Next row.**—K. 1, sl. 1, k. 1, p.s.s.o., k. to last 3 sts., k. 2 tog., k. 1. **Next row.**—P.** Rep. last 2 rows to 22 (24 : 26) sts., ending after p. row. Cast off.

THE FRONT.—Work as back to armholes.

Shape Armholes and Divide for Neck.—Cast off 6 sts. at beg. of next 2 rows. **Next row.**—K. 1, sl. 1, k. 1, p.s.s.o., k. to last 3 sts., k. 2 tog., k. 1. **Next row.**—P. 26 (29 : 32) sts., cast off 6, p. to end. Working on last set of sts., cont. to dec. as before at armhole edge on alt. rows to 14 (15 : 16) sts., ending at neck edge.

Shape Neck.—Cast off 2 (3 : 4) sts., p. to end. Cont. to dec. at armhole edge as before, *at the same time* dec. 1 st. at neck edge on next and alt. rows 4 times in all. Now dec. at armhole edge until all sts. are worked off. Join wool to inner edge of rem. sts. and complete to match other side.

THE SLEEVES.—With No. 11 needles, cast on 33 (35 : 37) sts. Work 7 rows g.-st. **Next row.**—K., inc. 10 (8 : 6) sts. evenly along the row (43 sts.). Change to No. 9 needles and work 2 rows st.-st., beg. k. row. Work the 11-row colour patt. from chart, odd rows k., even rows p. Cont. in st.-st. in M., beg. with p. row, inc. 1 st. at both ends of next and every foll. 6th row to 59 (63 : 67) sts. Cont. straight until sleeve measures 11 (12 : 13) ins., ending after p. row.

Shape Top.—Rep. from ** to ** as back to 41 sts. **Next row.**—K. 1, sl. 1, k. 1, p.s.s.o., k. 15, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., k. 15, k. 2 tog., k. 1. Cont. to dec. at both ends of alt. rows as before, *at the same time* dec. 2 sts. in centre on every 4th row 4 times more. Now dec. at both ends of alt. rows to 11 sts., ending after p. row. Cast off.

THE FRONT BANDS.—With No. 11 needles and M., cast on 8 sts. Work in g.-st. until band will fit front edge. Cast off. Sew on band. Mark with pins to indicate buttons, first one ½ in. down from neck, second one halfway between first pin and beg. Make other band to match, making buttonholes where indicated by pins thus: **1st row.**—K. 3, cast off 2, k. to end. **2nd row.**—K. 3, cast on 2, k. 3.

THE COLLAR.—With No. 9 needles and M., cast on 23 (27 : 27) sts. P. 1 row. Cont. in st.-st., casting on 6 (7 : 7) sts. at beg. of next 6 rows; 6 (8 : 8) sts. at beg. of foll. 2 rows. Work 2 (4 : 6) rows straight. Now work the 11-row colour patt. from chart. **Next row.**—P. Break off wool. With No. 11 needles and M., and right side facing, pick up and k. 13 (15 : 17) sts. along short end, k. across sts. on needle, pick up and k. 13 (15 : 17) sts. along other short end. Work 4 rows g.-st., inc. 1 st. at each corner on 1st and 3rd rows. Cast off.

THE CARDIGAN

Work back, sleeves and collar as for jumper.

THE LEFT FRONT.—With No. 11 needles and M., cast on 37 (39 : 42) sts. Work 7 rows g.-st. **Next row.**—K. 8, k. to end, inc. 5 (6 : 6) sts. evenly. 42 (45 : 48) sts. Change to No. 9 needles. **Next row.**—K. 34 (37 : 40) sts., turn; leave rem. 8 sts. on safety-pin. Cont. in st.-st. on rem. sts. until work measures as back to armhole, ending after p. row.

Shape Armhole.—Cast off 6 sts. at beg. of next row. **Next row.**—P. **Next row.**—K. 1, sl. 1, k. 1, p.s.s.o., k. to end. Rep. last 2 rows to 15 (16 : 17) sts., ending at front edge.

Shape Neck.—Cast off 3 (4 : 5) sts. at beg. of next row. Dec. 1 st. at both ends of next and alt. rows 4 times, then at armhole edge only until all sts. at worked off.

THE RIGHT FRONT.—With No. 11 needles and M., cast on 37 (39 : 42) sts. Work 4 rows g.-st. **Next row.**—K. 3, cast off 2, k. to end. On next row, cast on sts. over those cast off. K. 1 row. **Next row.**—K. to last 8 sts., inc. 5 (6 : 6) sts. evenly, k. 8. **Next row.**—K. 8, and leave on safety-pin, change to No. 9 needles and complete to match other side, working armhole decs. k. 2 tog., k. 1.

THE FRONT BANDS.—Sl. 8 sts. on left front on to No. 11 needles. With M., and right

side facing, inc. in 1st st., k. to end. Cont. in g.-st. until band will fit front edge to neck. Cast off. Sew on band. Mark with pins to indicate buttons, 1st pin at 5th row from lower edge, top one ½ in. down from neck, and 3 (3 : 4) more at equal distances between.

Sl. sts. from right front on to No. 11 needles, with wrong side facing, inc. in 1st st., k. to end. Now complete to match other side, making buttonholes where indicated by pins thus: **Next row** (right side).—K. 3, cast off 2, k. to end. **Next row.**—K., casting on sts. over those cast off.

TO MAKE UP.—Press. Join raglan seams, the last inch of sleeve seam to cast-off at underarm. Join side and sleeve seams. Sew on front bands. Sew on collar, beg. and ending at centre of front bands. Sew on buttons. Press seams.



Matchmake—with a featherweight classic in crepe

We've given you a choice of two different patterns for this trim sweater, one (shown right) a simple basket-weave stitch, and the other (shown left) a very easy lace stitch

MATERIALS.—7 (9 : 10 : 11 : 12) ozs. Wendy Ciro Crepe (as 4-ply); a pair each No. 10 and No. 13 Aero knitting needles.

Measurements.—To fit chest or bust sizes 28 (30 : 32 : 34 : 36) inches (actual sizes approx. 2 inches larger); length, 17 (18½ : 20 : 21 : 22) inches; sleeve seam, 2 (2 : 2½ : 3 : 3) inches.

Tension.—7 sts. to 1 inch in patt.

PATTERN A (on adult's sweater). **1st row.**—K. 1, p. 3, (k. 5, p. 3) to last st., k. 1. **2nd row.**—P. 1, k. 3, (p. 5, k. 3) to last st., p. 1. **3rd row.**—As 1st. **4th row.**—P. to end. **5th row.**—K. 5, (p. 3, k. 5) to end. **6th row.**—P. 5, (k. 3, p. 5) to end. **7th row.**—As 5th. **8th row.**—P. to end.

PATTERN B (on child's sweater). **1st row.**—K. 1, p. 3, (k. 5, p. 3) to last st., k. 1. **2nd row.**—P. 1, k. 3, (p. 5, k. 3) to last st., p. 1. **3rd row.**—K. 1, k. 2 tog., w.f., (k. 6, k. 2 tog., w.f.) to last 2 sts., k. 2. **4th row.**—P. to end. **5th row.**—K. 2 tog., w.f., k. 1, w.f., sl. 1, k. 1, p.s.s.o., (k. 3, k. 2 tog., w.f., k. 1, w.f., sl. 1, k. 1, p.s.s.o.) to end. **6th row.**—P. 5, (k. 3, p. 5) to end. **7th row.**—K. 5, (p. 3, k. 5) to end. **8th row.**—As 6th. **9th row.**—K. 5, (k. 2 tog., w.f., k. 6) to end. **10th row.**—P. to end. **11th row.**—K. 4, (k. 2 tog., w.f., k. 1, w.f., sl. 1, k. 1, p.s.s.o., k. 3) to last st., k. 1. **12th row.**—As 2nd.

THE BACK.—With No. 13 needles, cast on 101 (109 : 117 : 125 : 133) sts. Work 1½ (1½ : 2 : 2 : 2) ins. in g.-st. Change to No. 10 needles and cont. in desired patt. until back measures 11 (12 : 13 : 13½ : 14) ins.

Shape Armholes.—Cast off 4 sts., at beg. of next 2 rows; dec. 1 st. both ends of next and alt. rows to 85 (91 : 97 : 101 : 107) sts. Cont. straight until armholes measure 6 (6½ : 7 : 7½ : 8) ins., ending after wrong-side row.

Shape Neck and Shoulders. 1st row.—Patt. 28 (30 : 32 : 33 : 35), turn; leave rem. sts. on spare needle. **2nd row.**—Cast off 2, patt. to end. **3rd row.**—Cast off 4 (4 : 5 : 5 : 5), patt. to end. Rep. 2nd and 3rd rows 3 times more. Work 1 row; cast off rem. sts. Return to sts. on spare needle. With right side facing, leave first 29 (31 : 33 : 35 : 37) sts. on holder for neck, patt. to end. Cont. to match first side, reversing all shapings.

THE FRONT.—With No. 13 needles, cast on 109 (117 : 125 : 133 : 141) sts. Work 1½ (1½ : 2 : 2 : 2) ins. g.-st. Change to No. 10 needles and beg. with 5th row of patt. A or 7th row of patt. B, cont. until front matches back to armholes.

Shape Armholes.—Cast off 8 sts. at beg. of next 2 rows; dec. 1 st. both ends of next and alt. rows to 85 (91 : 97 : 101 : 107) sts. Cont. straight until armholes measure 4 (4¼ : 4½ : 4¾ : 5) ins., ending after wrong-side row.

Shape Neck. 1st row.—Patt. 32 (34 : 36 : 37 : 39), turn; leave rem. sts. on spare needle. **2nd row.**—Cast off 2, patt. to end. **3rd row.**—Patt. to end. Rep. last 2 rows 3 times more; then dec. 1 st. at neck edge on next and foll. 3 alt. rows. Cont. straight until work matches back to shoulder, ending side edge.

Shape Shoulder.—Cast off 4 (4 : 5 : 5 : 5) sts. at beg. of next row and foll. 3 alt. rows. Work 1 row; cast off rem. sts. Return to sts. on spare needle. With right side facing, leave first 21 (23 : 25 : 27 : 29) sts. on holder, patt. to end. Complete to match first side, reversing shapings.

THE SLEEVES.—With No. 13 needles, cast on 66 (66 : 73 : 73 : 80) sts. Work ¾ (¾ : 1 : 1 : 1) in. g.-st. **Next row.**—K., inc. 11 (11 : 12 : 12 : 13) sts. evenly. Change to No. 10 needles and patt until sleeve measures 2¾ (2¾ : 3¼ : 3¾ : 3¾) ins. from beg.

Shape Top.—Dec. 1 st. both ends of next and alt. rows to 69 (67 : 73 : 71 : 75) sts. Cast off 2 sts. at beg. of next 10 (10 : 12 : 12 : 14) rows; 3 sts. at beg. of next 8 rows; 4 sts. at beg. of next 4 rows. Cast off.

THE NECKBAND.—Join right shoulder seam. With No. 13 needles and right side facing, pick up and k. 112 (118 : 124 : 130 : 136) sts. evenly round neck, including sts. from holders. Work ¾ (¾ : 1 : 1 : 1) in. g.-st., ending after right-side row. Cast off loosely.

TO MAKE UP.—Press. Join left shoulder seam. Join side seams. Join sleeve seams, leaving top ¾ in. open. Sew in sleeves, the open portion to cast-off at underarm (note that side seam comes slightly to back of sleeve seam). Press seams.

Matchmake—for evenings with knitted cotton shawls

Take a leaf out of Granny's book and look your most feminine in a pretty fringed shawl. They are simple to knit in garter stitch using plain cotton or adding Lurex for extra glitter

MATERIALS.—For white shawl, 9 ozs. Twilley's Bubbly Super Mercerized Cotton (for black shawl add 12 spools silver Lurex); a pair long No. 10 Aero knitting needles; 4 yds. cotton fringe.

Measurements.—Long side, approx. 47 ins.

Tension.—7 sts. to 1 inch.

TO MAKE.—Cast on 330 sts. with Bubbly or Bubbly and Lurex tog. **1st row.**—Sl. 1, k. 1, p.s.s.o., k. to end. Rep. this row until all sts. are worked off.

TO COMPLETE.—Tack fringe to edges, making mitred corners, and taking care that short sides match in length. Then machine or back-stitch it in place.

ABBREVIATIONS

K., knit; p., purl; sts., stitches; rep., repeat; rem., remain(ing); ins., inches; tog., together; t.b.l., through back loop; cont., continue; beg., beginning; alt., alternate; foll., following; inc., increas(e)ing; dec., decreas(e)ing; patt., pattern; w.f., wool forward; w.b., wool back; sl., slip; p.s.s.o., pass slip stitch over; st.-st., stocking stitch; g.-st., garter stitch; m.-st., moss stitch; tw.k or tw.p., knit or purl into the double loop below next stitch, then knit or purl the stitch itself but do not slip from needle, pass the 2nd stitch on left-hand needle over 1st, slip stitch on to right-hand needle; inc. 1 p., increase by picking up loop between stitches and purling into back of it; p.w., purlwise; c. 6 or 8 f., cable 6 or 8 front thus: slip next 3 or 4 stitches on cable needle and leave at front of work, k. next 3 or 4 stitches, then k. stitches from cable needle; c. 6 or 8 b., as c. 6 or 8 f., but leave stitches at back of work.

SIZE NOTE.—Throughout supplement, instructions are given for 1st size, with alterations for 2nd and subsequent sizes in brackets. Where only one figure or group of figures is given, this refers to all sizes.

ACCESSORIES. — DRESSES, FRANK USHER; GIRL'S SKIRT, GOR-RAY; GIRLS' JUMPERS, DOROTHY PERKINS; CHILDREN'S SKIRTS; LADYBIRD; CHILD'S TIGHTS, BRITISH HOME STORES

Matchmake—our cover-girl cardigans in dogstooth tweed

We took a striking two-colour pattern and used it for two different-styled cardigans, one in 4-ply, the other in double knitting

MATERIALS.—For collarless jacket: 10 (11 : 12) ozs. Bairnswear Scotch Double Knitting in dark colour (D.) and 8 (9 : 10) ozs. in light (L.); a pair No. 8 Aero knitting needles; 5 buttons. For collared jacket: 12 (13) ozs. Penguin Alpin 4-ply in D. and 9 (10) ozs. in L.; a pair each No. 10 and No. 12 needles; 7 buttons.

Measurements.—Collarless jacket: To fit 33 (35 : 37) inch bust; length, 22 (22 : 23) inches; sleeve seam, 14 inches. Collared jacket: To fit 35 (38) inch bust; length, 23 (23½) inches; sleeve seam, 17 (17½) inches.

Tension.—6 sts. to 1 inch in patt. in double knitting wool; 8 sts. to 1 inch in patt. in 4-ply.

THE TWEED PATTERN. 1st row.—(K. 4 L., 2 D., 2 L.) to end. **2nd row.**—(P. 2 L., 2 D., 4 L.) to end. **3rd row.**—(K. 6 D., 2 L.) to end. **4th row.**—(P. 2 L., 6 D.) to end. **5th row.**—(K. 2 L., 6 D.) to end. **6th row.**—(P. 6 D., 2 L.) to end. **7th row.**—(K. 2 L., 2 D., 4 L.) to end. **8th row.**—(P. 4 L., 2 D., 2 L.) to end. These 8 rows form patt.

Please turn to page 16

Continued from page 14

THE COLLARLESS JACKET

THE BACK.—With No. 8 needles and D., cast on 104 (112 : 120) sts. Work 8 rows st.-st. **Next 2 rows.**—P. Change to tweed patt. and work until back measures 14½ (14½ : 15) ins. from p. hemline.

Shape Armholes.—Cast off 4 sts. at beg. of next 2 rows; dec. 1 st. both ends of next and alt. rows to 82 (88 : 94) sts. Cont. straight until armholes measure 7½ (7½ : 8) ins.

Shape Shoulders.—Cast off 7 sts. at beg. of next 4 rows; 6 (7 : 8) sts. at beg. of foll. 4 rows. Cast off rem. sts.

THE LEFT FRONT.—With No. 8 needles and D., cast on 50 (58 : 66) sts. Work 8 rows st.-st. **Next row.**—P. **Next row.**—Cast on 12 sts., p. to end. Change to tweed patt., with 6 sts. at front edge in D., thus: **1st row.**—Patt. to last 6 sts., k. 6 D. **2nd row.**—P. 6 D., patt. to end. Cont. thus until front matches back to armhole, ending side edge.

Shape Armhole.—Cast off 4 sts. at beg. of next row; dec. 1 st. at armhole edge on alt. rows to 51 (58 : 65) sts., ending at side edge.

Shape Front. Next row.—Patt. to last 8 sts., k. 2 tog., k. 6 D. Dec. thus at front edge every alt. row to 43 (50 : 57) sts.; then dec. at same edge every row to 32 (34 : 36) sts. Cont. straight until front matches back to shoulder, ending side edge.

Shape Shoulder.—Cast off 7 sts. at beg. of next and foll. alt. rows; 6 (7 : 8) sts. at beg. of foll. 2 alt. rows. Cont. in st.-st. in D. on rem. 6 sts. until this piece will reach halfway across back neck. Cast off.

THE RIGHT FRONT.—First mark left front with pins, to indicate buttons. The first pin should be 8 rows up from start of patt., the last 2 ins. below start of front shaping and 3 more evenly spaced between. With No. 8 needles and D., cast on 50 (58 : 66) sts. Work 8 rows st.-st. **Next 2 rows.**—P. **Next row.**—Cast on 12 sts., k. 6 D., patt. to end. Cont. to match left front, reversing shapings and making buttonholes to match pin positions thus: **Next row** (starting at front edge).—K. 6 D., patt. 10 (6 : 10), cast off 4, patt. to end. On next row, cast on 4 sts. over those cast off.

THE SLEEVES.—With No. 8 needles and D., cast on 56 (56 : 64) sts. Work 8 rows st.-st. **Next 2 rows.**—P. Change to patt. and inc. 1 st. both ends of 3rd and every foll. 4th row to 86 (86 : 90) sts., working inc. sts. into patt. Cont. straight to 14 ins. from hemline.

Shape Top.—Cast off 4 sts. at beg. of next 2 rows; dec. 1 st. both ends of next and alt. rows to 62 sts.; then both ends of every row to 28 sts. Cast off.

TO MAKE UP.—Press. Join shoulder, side and sleeve seams. Set in sleeves. Join front extensions tog. Turn in all facings and slip-stitch. Sew extensions to back neck. Press seams. Sew on buttons.

THE COLLARED JACKET

THE BACK.—With No. 12 needles and D., cast on 144 (152) sts. Work 11 rows st.-st., beg. k. row. **Next row.**—K. for hemline. Change to No. 10 needles and work in tweed patt. until back measures 15 ins. from hemline.

Shape Armholes.—Cast off 6 sts. at beg. of next 2 rows; dec. 1 st. both ends of next 11 (12) rows. Cont. straight until armholes measure 8 (8½) ins., ending after wrong-side row.

Shape Shoulders and Neck. Next row.—Patt. 35 (37), cast off 40 (42), patt. to end. Cont. on last set of sts. **1st row.**—Cast off 8, patt. to last 2 sts., k. 2 tog. **2nd row.**—K. 2 tog., patt. to end. **3rd row.**—Cast off 8, patt. to last 2 sts., k. 2 tog. **4th row.**—Patt. to end. Cast off 8 (9) sts. at beg. of next row and foll. alt. row. Rejoin wool to neck edge of rem. sts. and work this side to match first.

THE RIGHT FRONT.—With No. 12 needles and D., cast on 72 (80) sts. and work as back to armhole, ending after right-side row.

Shape Armhole and Front. Next row.—Cast off 6 sts., patt. to last 2 sts., k. 2 tog. Dec. 1 st. at armhole edge on next 11 (12) rows, *at the same time* dec. 1 st. at front edge on alt. rows to 32 (34) sts. Cont. straight until work matches back to armhole, ending armhole edge.

Shape Shoulder.—Cast off 8 sts. at beg. of next and foll. alt. row; 8 (9) sts. at beg. of foll. 2 alt. rows.

THE LEFT FRONT.—Work as right, reversing all shapings.

THE SLEEVES.—With No. 12 needles and D., cast on 72 sts. Work 11 rows st.-st. **Next row.**—K. for hemline. Change to No. 10 needles and patt., inc. 1 st. both ends of 9th and every foll. 6th row to 108 (112) sts., working inc. sts. into patt. Cont. straight until sleeve measures 17 (17½) ins. from hemline.

Shape Top.—Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. both ends of next 9 rows; then dec. 1 st. both ends of alt. rows to 38 (42) sts. Cast off 3 sts. at beg. of next 6 rows. Cast off.

THE FRONT BAND.—With No. 12 needles and D., cast on 14 sts. Work 4 rows k. 1, p. 1 rib. **Next row** (buttonhole).—Rib 4, cast off 6, rib to end. **Next row.**—Rib 4, cast on 6, rib 4. Make 6 more buttonholes on foll. 21st and 22nd rows, then cont. straight until border fits right front, back neck and left front (do not include hems). Cast off in rib.

THE COLLAR (optional).—With No. 12 needles and D., cast on 136 (140) sts. Work 5 ins. k. 1, p. 1 rib. Cast off in rib.

TO MAKE UP.—Press. Join shoulder seams. Set in sleeves. Join side and sleeve seams. Turn up hems and slip-stitch. Sew on border. Sew on buttons. Sew collar inside front band.

Printed by Sun Printers Ltd., London and Watford